

# TPLOGDELBUFREQFILE(3)

| REVISION HISTORY |      |             |      |
|------------------|------|-------------|------|
| NUMBER           | DATE | DESCRIPTION | NAME |
|                  |      |             |      |

# Contents

|                   |                              |                   |
|-------------------|------------------------------|-------------------|
| <a href="#">1</a> | <a href="#">SYNOPSIS</a>     | <a href="#">1</a> |
| <a href="#">2</a> | <a href="#">DESCRIPTION</a>  | <a href="#">2</a> |
| <a href="#">3</a> | <a href="#">RETURN VALUE</a> | <a href="#">3</a> |
| <a href="#">4</a> | <a href="#">ERRORS</a>       | <a href="#">4</a> |
| <a href="#">5</a> | <a href="#">EXAMPLE</a>      | <a href="#">5</a> |
| <a href="#">6</a> | <a href="#">BUGS</a>         | <a href="#">6</a> |
| <a href="#">7</a> | <a href="#">SEE ALSO</a>     | <a href="#">7</a> |
| <a href="#">8</a> | <a href="#">COPYING</a>      | <a href="#">8</a> |

## Chapter 1

# SYNOPSIS

```
#include <atmi.h>
```

```
int tplogdelbufreqfile(char *data);
```

For XATMI client link with *-latmiclt -latmi -lubf -lnstd -lpthread -lrt -lm*

For XATMI server link with *-latmisrvl -latmisrvnomainl -latmisrvinteg -latmi -lubf -lnstd -lpthread -lrt -lm*

## Chapter 2

# DESCRIPTION

Remove request logging file name from UBF buffer. This basically removes **EX\_NREQLOGFILE** field from buffer, if present.

## Chapter 3

# RETURN VALUE

On success, **tplogdelbufreqfile()** return zero; on error, -1 is returned, with **tperrno** set to indicate the error.

## Chapter 4

# ERRORS

Note that **tpstrerror()** returns generic error message plus custom message with debug info from last function call.

**TPENOENT** Filed not present or failed to remove from UBF.

**TPEINVAL** Not UBF buffer or buffer NULL.

---

## Chapter 5

# EXAMPLE

See `atmitest/test031_logging/atmiclt31.c` for sample code.



## Chapter 6

# BUGS

Report bugs to [madars.vitolins@gmail.com](mailto:madars.vitolins@gmail.com)

## Chapter 7

## SEE ALSO

**tplogsetreqfile(3)** **tplogsetreqfile\_direct(3)** **tplogconfig(3)** **tplogdump(3)** **tplogdumpdiff(3)** **tplog(3)** **ex\_devguide(guides)** **ndrxdebug.conf(5)**

# Chapter 8

# COPYING

© Mavimax, Ltd