

CPMSRV(8)

REVISION HISTORY			
NUMBER	DATE	DESCRIPTION	NAME

Contents

1	SYNOPSIS	1
2	DESCRIPTION	2
3	OPTIONS	3
4	EXIT STATUS	4
5	BUGS	5
6	SEE ALSO	6
7	COPYING	7

Chapter 1

SYNOPSIS

cpmrv [*OPTIONS*]

Chapter 2

DESCRIPTION

Client process monitor is Enduro/X server process which is responsible for managing client processes, which are described in *ndrxconfig.xml*, *<clients>* section. The process reloads configuration file every time when timestamp is changed. If process is removed from *<clients>* section and process is stopped, then it is removed from listings. If process is running, it is left in current process model.

cpmsrv is servicing backend functionality for xadmin's *pc* (print clients), *bc* (boot client), *sc* (stop client) commands. Invoked via ATMI subsystem resources.

During the startup phase, all *autostart* processes are started. During the shutdown phase all started processes are shut-down, by doing standard kill signalling.

If using wildcards in *bc/sc/rc* commands, then please ensure that estimated start/stop times are shorter than **cpmsrv** max ping time (if enabled in *ndrxconfig.xml*). Otherwise the *cpmsrv* might be killed by **ndrxd** because it will assume that **cpmsrv** is not responding.

Chapter 3

OPTIONS

-i *CHK_INTERVAL*

CHK_INTERVAL process checking interval in seconds. Default 15.

-k *KILL_INTERVAL*

KILL_INTERVAL process kill interval (wait seconds between -2, -15, -9 signals). Default 30.

Chapter 4

EXIT STATUS

0 Success

1 Failure

Chapter 5

BUGS

Report bugs to support@mavimax.com

Chapter 6

SEE ALSO

ndrxconfig.xml(5) ndrxd(8)

Chapter 7

COPYING

© Mavimax, Ltd