

**BBOOLPR(3)**

REVISION HISTORY			
NUMBER	DATE	DESCRIPTION	NAME

# Contents

<a href="#">1 SYNOPSIS</a>	<a href="#">1</a>
<a href="#">2 DESCRIPTION</a>	<a href="#">2</a>
<a href="#">3 RETURN VALUE</a>	<a href="#">3</a>
<a href="#">4 ERRORS</a>	<a href="#">4</a>
<a href="#">5 EXAMPLE</a>	<a href="#">5</a>
<a href="#">6 BUGS</a>	<a href="#">6</a>
<a href="#">7 SEE ALSO</a>	<a href="#">7</a>
<a href="#">8 COPYING</a>	<a href="#">8</a>

## Chapter 1

# SYNOPSIS

```
#include <ubf.h>
```

```
void Bboolpr (char *tree, FILE *outf);
```

```
Link with -lubf -lnstd -lm -lpthread
```

## Chapter 2

# DESCRIPTION

Print the compiled UBF buffer boolean expression evaluation Abstract Syntax Tree (AST) at *tree* handler to *outf* stream. The sample output for AST is following:

```
...
tree=Bboolco ("2 * ( 4 + 5 ) || 5 && 'abc' %% '..b' && 2/2*4==5")
...
Bboolpr(tree, stdout);

will give:
((2*(4+5)) || ((5 && ('abc' %% '..b')) && (((2/2)*4) == 5))
```

## Chapter 3

# RETURN VALUE

Function is void and does not return any value.

## Chapter 4

# ERRORS

Function is void and does not return any error.

## Chapter 5

# EXAMPLE

See `ubftest/test_expr.c` for sample code.



## Chapter 6

# BUGS

Report bugs to [madars.vitolins@gmail.com](mailto:madars.vitolins@gmail.com)

## Chapter 7

## SEE ALSO

**Bboolev(3)** **Bfloatev(3)** **Btreefree(3)**

## **Chapter 8**

# **COPYING**

© Mavimax, Ltd