

**LIBCRYPTOHOST(8)**

| REVISION HISTORY |      |             |      |
|------------------|------|-------------|------|
| NUMBER           | DATE | DESCRIPTION | NAME |
|                  |      |             |      |

# Contents

|          |                    |          |
|----------|--------------------|----------|
| <b>1</b> | <b>SYNOPSIS</b>    | <b>1</b> |
| <b>2</b> | <b>DESCRIPTION</b> | <b>2</b> |
| <b>3</b> | <b>EXIT STATUS</b> | <b>3</b> |
| <b>4</b> | <b>EXAMPLE</b>     | <b>4</b> |
| <b>5</b> | <b>BUGS</b>        | <b>5</b> |
| <b>6</b> | <b>SEE ALSO</b>    | <b>6</b> |
| <b>7</b> | <b>COPYING</b>     | <b>7</b> |

## Chapter 1

# SYNOPSIS

```
export NDRX_PLUGINS=libcryptohost.so
```

## Chapter 2

# DESCRIPTION

This is dynamic link library which provides Enduro/X cryptography key. This library makes the encryption key from the computer host name hashed with SHA1 key.

## Chapter 3

# EXIT STATUS

When plugins are loaded, their failures do not make system to fail, instead error is printed in ULOG.

## Chapter 4

# EXAMPLE

See `atmitest/test043_encrypt` for sample usage.

## Chapter 5

# BUGS

Report bugs to [support@mavimax.com](mailto:support@mavimax.com)



## Chapter 6

## SEE ALSO

`ex_env(5)`

## Chapter 7

# COPYING

© Mavimax, Ltd