

**BFLDID(3)**

REVISION HISTORY			
NUMBER	DATE	DESCRIPTION	NAME

# Contents

<b>1</b>	<b>SYNOPSIS</b>	<b>1</b>
<b>2</b>	<b>DESCRIPTION</b>	<b>2</b>
<b>3</b>	<b>RETURN VALUE</b>	<b>3</b>
<b>4</b>	<b>ERRORS</b>	<b>4</b>
<b>5</b>	<b>EXAMPLE</b>	<b>5</b>
<b>6</b>	<b>BUGS</b>	<b>6</b>
<b>7</b>	<b>SEE ALSO</b>	<b>7</b>
<b>8</b>	<b>COPYING</b>	<b>8</b>

## Chapter 1

# SYNOPSIS

```
#include <ubf.h>
```

```
BFLDID Bfldid (char *fldnm);
```

```
Link with -lubf -lnstd -lm -lpthread
```

## Chapter 2

# DESCRIPTION

Get field id by field name passed in *fldnm* parameter. Note that field must be defined in field tables (**fd** files) (see `ex_env(5)`), variables **FIELDTBLS**, **FLDTBLDIR**).

---

## Chapter 3

# RETURN VALUE

On success, **Bfldid()** returns compiled file id; on error, **BBADFLDID** is returned.

## Chapter 4

# ERRORS

No errors are returned by this function.

## Chapter 5

# EXAMPLE

See `ubfttest/ubfunit1.c` for sample code.



## Chapter 6

# BUGS

Report bugs to [support@mavimax.com](mailto:support@mavimax.com)

# Chapter 7

# SEE ALSO

**Bfname(3) Bfddb(3)**

## **Chapter 8**

# **COPYING**

© Mavimax, Ltd