

Building Enduro/X On Oracle Solaris Platform

REVISION HISTORY			
NUMBER	DATE	DESCRIPTION	NAME
1.0	2016-06	Initial draft	MV

Contents

1	About manual	1
2	Overview	2
3	Installation process	3
3.1	Packages to be installed	3
3.2	Getting the source code	3
3.3	Enduro/X basic Environment configuration for HOME directory	4
3.4	Building the code with GCC	4
4	Unit Testing	5
4.1	UBF/FML Unit testing	5
4.2	XATMI Unit testing	5
5	Conclusions	7
6	Additional documentation	8
6.1	Resources	8

Chapter 1

About manual

This manual describes how to build *Enduro/X* Oracle Solaris platform. Document is based on Solaris 11 on x86 machine. Compiler used to Enduro/X is GCC.

Chapter 2

Overview

This manual includes basic installation of Enduro/X which does not include building of documentation and does not use GPG-ME encryption for bridges.

For Solaris Posix queues actually are virtual files in /tmp directory with *.MQD* prefix. Enduro/X for queue management uses these files.

Chapter 3

Installation process

The installation process will install required open source packages from <http://www.opencsw.org>. you may install packages with different approach. This is just a sample process for getting build system working on under Solaris. For getting Enduro/X to work basically we need following packages:

1. git
2. cmake
3. flex
4. bison
5. libxml2
6. gcc/g++

3.1 Packages to be installed

The following operations will be done from root user. This will download and install open source packages to local machine:

```
# pkgadd -d http://get.opencsw.org/now
# /opt/csw/bin/pkgutil -U
# /opt/csw/bin/pkgutil -y -i cmake gcc4core
# /opt/csw/bin/pkgutil -y -i gcc4core
# /opt/csw/bin/pkgutil -y -i gcc4g++
# /opt/csw/bin/pkgutil -y -i git
# /opt/csw/bin/pkgutil -y -i libxml2_dev
# /opt/csw/bin/pkgutil -y -i flex bison
```

3.2 Getting the source code

For test purposes we will prepare new user for which Enduro/X will built (this adds the in the path the /opt/csw/bin. You may modify that of your needs.

```
# useradd -m user1
# su - user1
$ bash
$ cat << EOF >> .profile
export PATH=$PATH:/opt/csw/bin
EOF
```

```
$ chmod +x .profile
$ source .profiles
$ cd /export/home/user1
$ GIT_SSL_NO_VERIFY=true git clone https://github.com/endurox-dev/endurox
$ cd endurox
$ git config http.sslVerify "false"
```

3.3 Enduro/X basic Environment configuration for HOME directory

This code bellow creates *ndrx_home* executable file which loads basic environment, so that you can use sample configuration provided by Enduro/X in *sampleconfig* directory. This also assumes that you are going to install to *\$HOME/endurox/dist* folder. The file bellow will override the sample configuration.

```
$ cat << EOF > $HOME/ndrx_home
#!/bin/bash

echo "Loading ndrx_home..."
# Where app domain lives
export NDRX_APPHOME=$HOME/endurox
# Where NDRX runtime lives
export NDRX_HOME=$HOME/endurox/dist/bin
# Debug config too
export NDRX_DEBUG_CONF=$HOME/endurox/sampleconfig/debug.conf
# NDRX config too.
export NDRX_CONFIG=$HOME/endurox/sampleconfig/ndrxconfig.xml

export PATH=$PATH:$HOME/projects/endurox/dist/bin

export FLDTBLDIR=$HOME/endurox/ubftest/ubftab

export PATH=$PATH:/opt/csw/bin:$HOME/endurox/dist/bin
export LD_LIBRARY_PATH=$LD_LIBRARY_PATH:$HOME/endurox/dist/lib64:/opt/csw/lib
# Solaris message queues live in tmp:
export NDRX_QPATH=/tmp

EOF

$ chmod +x $HOME/ndrx_home
```

3.4 Building the code with GCC

It is assumed that gcc is default compiler on the system (i.e. Oracle Studio not installed), thus following cmake will pick up gcc by default:

```
$ cd /export/home/user1/endurox
$ cmake -DDEFINE_DISABLEDDOC=ON -DDEFINE_DISABLEGPGME=ON -DCMAKE_INSTALL_PREFIX:PATH=`pwd`/ ←
  dist .
$ make
$ make install
```

Chapter 4

Unit Testing

Enduro/X basically consists of two parts: . XATMI runtime; . UBF/FML buffer processing. Each of these two sub-systems have own units tests.

4.1 UBF/FML Unit testing

```
$ cd /export/home/user1/endurox/sampleconfig
$ source setndrx
$ cd /export/home/user1/endurox/ubftest
$ ./ubfunit1 2>/dev/null
Running "main" (76 tests)...
Completed "ubf_basic_tests": 198 passes, 0 failures, 0 exceptions.
Completed "ubf_Badd_tests": 225 passes, 0 failures, 0 exceptions.
Completed "ubf_genbuf_tests": 334 passes, 0 failures, 0 exceptions.
Completed "ubf_cfchg_tests": 2058 passes, 0 failures, 0 exceptions.
Completed "ubf_cfget_tests": 2232 passes, 0 failures, 0 exceptions.
Completed "ubf_fdel_tests": 2303 passes, 0 failures, 0 exceptions.
Completed "ubf_expr_tests": 3106 passes, 0 failures, 0 exceptions.
Completed "ubf_fnext_tests": 3184 passes, 0 failures, 0 exceptions.
Completed "ubf_fproj_tests": 3548 passes, 0 failures, 0 exceptions.
Completed "ubf_mem_tests": 4438 passes, 0 failures, 0 exceptions.
Completed "ubf_fupdate_tests": 4613 passes, 0 failures, 0 exceptions.
Completed "ubf_fconcat_tests": 4768 passes, 0 failures, 0 exceptions.
Completed "ubf_find_tests": 5020 passes, 0 failures, 0 exceptions.
Completed "ubf_get_tests": 5247 passes, 0 failures, 0 exceptions.
Completed "ubf_print_tests": 5655 passes, 0 failures, 0 exceptions.
Completed "ubf_macro_tests": 5666 passes, 0 failures, 0 exceptions.
Completed "ubf_readwrite_tests": 5764 passes, 0 failures, 0 exceptions.
Completed "ubf_mkfldhdr_tests": 5770 passes, 0 failures, 0 exceptions.
Completed "main": 5770 passes, 0 failures, 0 exceptions.
```

4.2 XATMI Unit testing

ATMI testing might take some time. Also ensure that you have few Gigabytes of free disk space, as logging requires some space (about ~10 GB).

```
$ cd /export/home/user1/endurox/atmitest
$ nohup ./run.sh &
$ tail -f /export/home/user1/endurox/atmitest/test.out
...
```



```
***** FINISHED TEST: [test028_tmq/run.sh] with 0 *****  
Completed "atmi_test_all": 28 passes, 0 failures, 0 exceptions.  
Completed "main": 28 passes, 0 failures, 0 exceptions.
```

Chapter 5

Conclusions

At finish you have a configured system which is read to process the transactions by Enduro/X runtime. It is possible to copy the binary version (*dist*) folder to other same architecture machines and run it there with out need of building.

Chapter 6

Additional documentation

6.1 Resources

[1] [BINARY_INSTALL] See Enduro/X binary_install manual.