

**BFLDTYPE(3)**

REVISION HISTORY			
NUMBER	DATE	DESCRIPTION	NAME

# Contents

<b>1</b>	<b>SYNOPSIS</b>	<b>1</b>
<b>2</b>	<b>DESCRIPTION</b>	<b>2</b>
<b>3</b>	<b>RETURN VALUE</b>	<b>3</b>
<b>4</b>	<b>ERRORS</b>	<b>4</b>
<b>5</b>	<b>BUGS</b>	<b>5</b>
<b>6</b>	<b>SEE ALSO</b>	<b>6</b>
<b>7</b>	<b>COPYING</b>	<b>7</b>

## Chapter 1

# SYNOPSIS

`#include <ubf.h>`

`BFLDOCC Bfldno (BFLDID bfldid);`

Link with `-lubf -lnstd -lm -lpthread`

## Chapter 2

# DESCRIPTION

Return field ID form compiled field ID.

## Chapter 3

# RETURN VALUE

Function returns the field ID (the value normally present in FD files plus base).

## Chapter 4

# ERRORS

No errors are returned.

## Chapter 5

# BUGS

Report bugs to [madars.vitolins@gmail.com](mailto:madars.vitolins@gmail.com)



# Chapter 6

# SEE ALSO

**mkfldhdr(8) Bfldtype(3) Bmkfldid(3)**

## **Chapter 7**

# **COPYING**

© ATR Baltic, SIA