

BINDEX(3)

| REVISION HISTORY | | | |
|------------------|------|-------------|------|
| NUMBER | DATE | DESCRIPTION | NAME |
| | | | |

Contents

| | | |
|----------|---------------------|----------|
| 1 | SYNOPSIS | 1 |
| 2 | DESCRIPTION | 2 |
| 3 | RETURN VALUE | 3 |
| 4 | ERRORS | 4 |
| 5 | BUGS | 5 |
| 6 | SEE ALSO | 6 |
| 7 | COPYING | 7 |

Chapter 1

SYNOPSIS

```
#include <ubf.h>
```

```
int Bindex (UBFH *p_ub, BFLDOCC occ);
```

Link with *-lubf -lnstd -lm -lpthread*

Chapter 2

DESCRIPTION

Reserved for future use. Note that UBF buffer is automatically index by type offsets, and binary search for fixed length data (numerics and BFLD_CHAR).

Chapter 3

RETURN VALUE

Returns SUCCEED (0)

Chapter 4

ERRORS

No errors returned by this function.

Chapter 5

BUGS

Report bugs to madars.vitolins@gmail.com

Chapter 6

SEE ALSO

Bunindex(3) Bidxused(3) Brstrindex(3)

Chapter 7

COPYING

© ATR Baltic, SIA