

**LIBEXJLDS(8)**

<b>REVISION HISTORY</b>
-------------------------

NUMBER	DATE	DESCRIPTION	NAME

# Contents

<b>1</b>	<b>SYNOPSIS</b>	<b>1</b>
<b>2</b>	<b>DESCRIPTION</b>	<b>2</b>
<b>3</b>	<b>BUGS</b>	<b>3</b>
<b>4</b>	<b>SEE ALSO</b>	<b>4</b>
<b>5</b>	<b>COPYING</b>	<b>5</b>

## Chapter 1

# SYNOPSIS

libexjlds.so libexjlds.dylib

## Chapter 2

# DESCRIPTION

Library is used by binaries which are linked/compiled by **exjld(8)** linker tool. Basically the **exjld** generates the code which includes the class and resources in indexed arrays and `main()` function of the binary calls the functions from this **libexjlds** library to start the JVM. Prior startup, the environment is prepared, **CLASSPATH** is parsed and configured to jvm instance. Library includes also compiled bytecodes which are used as class loaders during the run-time. **libexjlds** helps to resolve compiled classes and resources and load them in the JVM instance.

---

## Chapter 3

# BUGS

Report bugs to [support@mavimax.com](mailto:support@mavimax.com)

---

## Chapter 4

### SEE ALSO

exjld(8)

---

## **Chapter 5**

# **COPYING**

© Mavimax, Ltd

---