

Enduro/X - Feature #237

Print error in unlog when failed to unlink process queues

10/25/2017 09:50 AM - Madars

Status: Closed	Start date: 10/25/2017
Priority: Normal	Due date:
Assignee:	% Done: 100%
Category:	Estimated time: 0.00 hour
Target version:	
Description	
ULOG prints all the time:	
0:20171024:23575500:nrxd :Client process [xadmin], pid 20457 died	
0:20171024:23580100:nrxd :Client process [xadmin], pid 20457 died	
0:20171024:23580700:nrxd :Client process [xadmin], pid 20457 died	
0:20171024:23581300:nrxd :Client process [xadmin], pid 20457 died	
0:20171024:23581900:nrxd :Client process [xadmin], pid 20457 died	
0:20171024:23582500:nrxd :Client process [xadmin], pid 20457 died	
0:20171024:23583100:nrxd :Client process [xadmin], pid 20457 died	
0:20171024:23583700:nrxd :Client process [xadmin], pid 20457 died	
0:20171024:23584300:nrxd :Client process [xadmin], pid 20457 died	
0:20171024:23584900:nrxd :Client process [xadmin], pid 20457 died	
0:20171024:23585500:nrxd :Client process [xadmin], pid 20457 died	
The problem seems that xadmin queue was created from root, and it failed to unlink it:	
<pre>\$ ls grep 20457 -rw-r--r-- 1 root root 80 Aug 29 16:32 xxxx,sys,bg,xadmin,20457 \$</pre>	
Nice thing would be to print in ULOG that removal of queue failed...	
Also add environment processing feature to the ini library directly so that [@globa/*] section could reference to own env variables. This could be configured callback	

History

#1 - 12/11/2017 10:18 PM - Oskars

- Status changed from New to In Progress

#2 - 12/11/2017 10:18 PM - Oskars

- Status changed from In Progress to Resolved

- % Done changed from 0 to 100

Implemented in 5.2

#3 - 12/11/2017 10:22 PM - Madars

- Status changed from Resolved to Closed