

## Enduro/X Core - Bug #501

**Seems like if in background binary is restarted during the program shutdown, some process may become started, thus shutdown fails / hangs**

01/13/2020 01:52 PM - Madars

<b>Status:</b>	Closed	<b>Start date:</b>	01/13/2020
<b>Priority:</b>	Normal (Code 4)	<b>Due date:</b>	
<b>Assignee:</b>		<b>% Done:</b>	100%
<b>Category:</b>		<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>			
<b>Description</b>			
<p>\$ xadmin Enduro/X 7.0.18, build Jan 9 2020 15:40:59, using epoll for LINUX (64 bits)</p> <p>Enduro/X Middleware Platform for Distributed Transaction Processing Copyright (C) 2009-2016 ATR Baltic Ltd. Copyright (C) 2017-2019 Mavimax Ltd. All Rights Reserved.</p> <p>This software is released under one of the following licenses: AGPLv3 (with Java and Go exceptions) or Mavimax license for commercial use.</p> <p>NDRX 1&gt; NDRX 1&gt; NDRX 1&gt; stop -y * Shared resources opened... * ndrxd PID (from PID file): 19058 Server executable = cpmsrv Id = 9999 :</p> <p>^[[Shutdown succeeded. Server executable = aaaa Id = 1000 : Shutdown succeeded. Server executable = bbbb Id = 950 :</p> <p>Started. Server executable = ccccc Id = 900 : Shutdown succeeded. Shutdown finished. 14 processes stopped.</p>			

### History

#### #1 - 05/07/2020 04:55 PM - Madars

The case could be:

- At startup: first attempt Died
- Then requested very slow... (started, not yet results received - slow init)
- shutdown request...
- probably we get started up when init completes of binary.

Probably in this case needs to request a shutdown

#### #2 - 05/11/2020 10:54 PM - Madars

- Status changed from New to Resolved
- % Done changed from 0 to 100

Added retry sending of shutdown signals in case if startup infos received during shutdown request.

**#3 - 05/12/2020 01:07 PM - Madars**

- *Status changed from Resolved to Closed*