

Enduro/X Core - Bug #822

tmqueue restart with empty prepared transactions, causes tmqueue failure to boot

01/19/2024 10:29 PM - Lauris

Status:	Closed	Start date:	01/19/2024
Priority:	Normal (Code 4)	Due date:	
Assignee:		% Done:	100%
Category:		Estimated time:	0.00 hour
Target version:			
Description			
1) If empty transactions (with static XA driver) have happened on tmqueue Q space, and Q space was just restarted after it was prepared (the first phase of 2pc was executed), the tmqueue fails to parse such transactions state and process fails to boot.			
2) If non Q space-related messages were found in data directory, the file descriptors might leak for such files.			

History

#1 - 01/19/2024 10:31 PM - Lauris

- Description updated

#2 - 01/19/2024 10:47 PM - Lauris

Release notes

Fixed the **tmqueue** process, so that dummy-prepared transactions can be resumed after the restart.

Fixed memory leak, in case during the startup, the transaction file was found from a different **tmqueue** instance. However, normally such a memory leak does not occur, as the recommendation is an individual queue space directory on disk for each of the **tmqueue** instances.

Available from Enduro/X release 8.0.12+.

#3 - 01/19/2024 10:47 PM - Lauris

- Status changed from New to Resolved

- % Done changed from 0 to 100

#4 - 01/19/2024 10:48 PM - Lauris

- Status changed from Resolved to Closed