

TPRECOVER(8)

REVISION HISTORY			
NUMBER	DATE	DESCRIPTION	NAME

Contents

1	SYNOPSIS	1
2	DESCRIPTION	2
3	OPTIONS	3
4	EXIT STATUS	4
5	BUGS	5
6	SEE ALSO	6
7	COPYING	7

Chapter 1

SYNOPSIS

tprecover

Chapter 2

DESCRIPTION

This is special ATMI system process which is started in standard way by **ndrxd(8)** process application server boot. This service shall be run in single instance (min=1 and max=1). The process performs monitoring of the **ndrxd** executable. Two checks at intervals are performed:

1. Check is PID exists.
2. Check the ping response from **ndrxd**

If number of checks overreaches max pings setting, the **ndrxd** is killed by -9 signal (if it was running), and then process is respawned. **tprecover** will start a new copy of *ndrxd*, which initially is put in recovery mode. During recovery mode *ndrxd* requests all running servers information about their services. Once learning mode is completed *ndrxd* will start to do sanity works, pings and other processes to keep the system in order.

NOTE: as pings are performed at intervals and **ndrxd** might be very busy (not a usual case), the careful calculation of ping timeout should be made, because **ndrxd** is doing back pings to **tprecover** process. Thus if **tprecover** waits for ping response for too long time, the *ndrxd* might kill the **tprecover** by it self. These settings are controlled in **ndrxconfig.xml(5)**, settings **<ping_time>** and **<ping_max>**.

Chapter 3

OPTIONS

[-c *CHECK_PERIOD*]

This setting denotes how often to perform **ndrxd** availability checks. Number of seconds. The default value is **5**.

[-t *PING_TOUT*]

Number of seconds to wait for **ndrxd** to respond to ping requests. The default value is **20**.

[-m *PING_MAX*]

Max number of failed attempts of process existence tests or bad ping responses. If the number is overreached, the **ndrxd** gets killed and respawned.

Chapter 4

EXIT STATUS

0 Success

1 Failure

Chapter 5

BUGS

Report bugs to support@mavimax.com

Chapter 6

SEE ALSO

`ndrxconfig.xml(5)` `ndrxd(8)`

Chapter 7

COPYING

© Mavimax, Ltd