

# BTREEFREE(3)

**REVISION HISTORY**

NUMBER	DATE	DESCRIPTION	NAME

# Contents

<b>1 SYNOPSIS</b>	<b>1</b>
<b>2 DESCRIPTION</b>	<b>2</b>
<b>3 RETURN VALUE</b>	<b>3</b>
<b>4 ERRORS</b>	<b>4</b>
<b>5 EXAMPLE</b>	<b>5</b>
<b>6 BUGS</b>	<b>6</b>
<b>7 SEE ALSO</b>	<b>7</b>
<b>8 COPYING</b>	<b>8</b>

# Chapter 1

## SYNOPSIS

```
#include <ubf.h>
void Btreefree (char *tree);
```

Link with *-lubf -lnstd -lm -lpthread*

## Chapter 2

### DESCRIPTION

Free up the memory allocated by **Bboolco(3)**. The *tree* is pointer returned by Bboolco(3).

---

## Chapter 3

# RETURN VALUE

Function is void and does not return any value.

---

## Chapter 4

# ERRORS

Function is void and does not return any error.

## Chapter 5

### EXAMPLE

See **ubftest/test\_expr.c** for sample code.

## Chapter 6

# BUGS

Report bugs to [support@mavimax.com](mailto:support@mavimax.com)

---

## Chapter 7

### SEE ALSO

**Bboollev(3) Bfloatev(3) Bboolpr(3)**

## **Chapter 8**

# **COPYING**

© Mavimax, Ltd