

# TPSRVSETCTXDATA(3)

REVISION HISTORY			
NUMBER	DATE	DESCRIPTION	NAME

# Contents

<a href="#">1 SYNOPSIS</a>	<a href="#">1</a>
<a href="#">2 DESCRIPTION</a>	<a href="#">2</a>
<a href="#">3 RETURN VALUE</a>	<a href="#">3</a>
<a href="#">4 ERRORS</a>	<a href="#">4</a>
<a href="#">5 EXAMPLE</a>	<a href="#">5</a>
<a href="#">6 BUGS</a>	<a href="#">6</a>
<a href="#">7 SEE ALSO</a>	<a href="#">7</a>
<a href="#">8 COPYING</a>	<a href="#">8</a>

## Chapter 1

# SYNOPSIS

```
#include <atmi.h>
```

```
int tpsrvsetctxdata (char *data, long flags);
```

Link with *-latmisrv|-latmisrvnomain|-latmisrvinteg -latmi -lubf -lnstd -lpthread -lrt -lm*

## Chapter 2

# DESCRIPTION

Restore context data from previously saved (**tpsrvgetctxdata()**) context data. The *data* field is value returned by **tpsrvgetctxdata()**. This function is needed for multi threaded server, in order to restore tpcall() data in worker thread. If global transaction was running in main thread for which **tpsrvgetctxdata()** was called, then **tpsrvsetctxdata()** will resume the global transaction in current thread.

This function is available only for XATMI servers.

### Valid flags

**TPNOAUTBUF** Do not restore auto buffer when restoring the server context. This can be suitable in case if buffer is already made free by initial service thread and the target server/service does not know anything about given pointer. E.g. the context is copied to different process.

## Chapter 3

# RETURN VALUE

On success, **tpsrvsetctxdata()** return pointer to context data block; on error, NULL is returned, with **tperrno** set to indicate the error.

## Chapter 4

# ERRORS

Note that **tpstrerror()** returns generic error message plus custom message with debug info from last function call.

**TPEINVAL** *data* is NULL.

**TPEPROTO** Global transaction is already started.

**TPESYSTEM** System failure occurred during serving. See logs i.e. user log, or debugs for more info. Could be the case if XA sub-system is not open by **tpopen()**.

**TPEOS** System failure occurred during serving. See logs i.e. user log, or debugs for more info.

---

## Chapter 5

# EXAMPLE

See `atmitest/test017_srvthread/atmisv17.c` for sample code.



## Chapter 6

# BUGS

Report bugs to [madars.vitolins@gmail.com](mailto:madars.vitolins@gmail.com)

## Chapter 7

## SEE ALSO

**`tpsrvgetctxdata(3)`** **`tpcontinue(3)`** **`tpinit(3)`**

## **Chapter 8**

# **COPYING**

© Mavimax, Ltd